

—GEZI—



**THE MOST PROFESSIONAL SCREEN FILTER MESH
INDUSTRY SINCE 1997.**

NYLON MESH, FILTER MESH, FILTER PAPER, AIR FILTRATION MESH,
WATER FILTER MESH, MESH FILTER BAGS AND DISC OR OTHER
FILTER MATERIALS.




GEZI MESH NETTING OEM/ODM INDUSTRY.

— GEZI —

The Most Professional Screen Filter Mesh Industry Since 1997.
Nylon Mesh, Filter Mesh, Filter Paper, Air Filtration Mesh, Water Filter Mesh, Mesh Filter Bags and Disc or Other Filtration Materials.



— GEZI —



Company Introduction

GEZI screen filter mesh factory is one of the leading manufacturer and exporter of all kinds of filter materials in China.

We're concentrated in Nylon filter mesh, Polyester filter mesh, PE filter mesh, Flour sieve mesh, Screen printing mesh, Mesh filter bag, Mesh filter disc, ect.

All mesh products have passed Quality Management System ISO 9001 :2008.

GEZI filter mesh is mainly used in air filtration, water filtration, fruit juice or milk filtration, paint filtration, oil filtration and sea-water filtration etc.

We also have complete factory inspection report, such as FDA ,no silicon certificate, 100% nylon or 100% polyester material certificate, MSDS polyester or nylon, AZO certificate etc.

Our screen mesh workshop is equipped with 100 Swiss Sulzer ruti weaving machines, 4 Benninger high speed warping machines, 1 water washing heat setting machines. The width of weaving machines are: 280cm, 330cm, 360cm, 390cm.

Countries USA, Germany, Canada, Mexico, UK, Spain, Italy, France, Belgium, Turkey, Pakistan, Thailand, Egypt, India, Brazil, etc. are main exporters of us at present.

The most important is that we have very systemic and strict staff policy. Our quality management teams are all strict persons and machines, the system has also been successfully approved by the ISOQAR to the standard ISO9001:2000.

GEZI is focus on abroad OEM cooperation and our mission is: Best quality and price products speak louder than anything!

Welcome to send inquiry and visit our factory! We're always here for you.



Paint Filtration Screen Mesh:

Mesh Items main 100/125/150/190/200/220/280 micron size
Paper weight main 120/150/180gsm
Main material: Polyester/Nylon or mixed mesh



Wedding Dress Mesh Fabric:

Mesh Items main 50 mesh, 300 micron/ 60 mesh, 270 micron/ 75 mesh, 200 micron
Main color: white/ skin/ pink
Main wide size: 150/180/230cm

Main markets: USA, Lebanon, Dubai, Australia, France

Wallet Bag Screen Mesh:

Mesh Items main 30 mesh, 170um wire diameter/ 30 mesh, 190um/ 35 mesh, 210um
Main color: bleached white/ black/ light brown
Main material: Polyester/nylon or mixed mesh Main certificate: AZO

Sea Water Filtration Screen Mesh:

Main material: Polyester/Nylon/ HDPE or mixed mesh
Mesh Items main 20/40/80/100/120/150/180/400/500/700/1000/1500 micron
Main markets: India, Italy, Ecuador, Saudi, Germany

Electronic Screen Mesh:

Main material: Polyester/Nylon
Mesh Items main 100/120/150/200/300/350/500 mesh
Main usage: headphone/ electronic drum/ drum set/ loudspeaker/voice tube

Tea Bag Screen Mesh:


Main material: FDA Nylon
Mesh Items main 100/110/120/150 mesh
Main wide size: 11/14/17cm
Paper tube diameter: 76mm or customized
Main markets: India, Indonesia, Thailand, Korea, Dubai, UK, Iran.

GEZI is specialized in the production of various PP, PET polyester, nylon nylon high temperature air purifier, anti-haze window screen, fresh air system filter screen.

At present, we cooperate with various manufacturers to provide the first effect filter screen mesh, support screen and other products for the air purifier products of Xiaomi, Gree, Midea and other brands.

This product is cut by laser to the specifications and shapes required by customers. Customers can be directly used with ABS frame for molding, it's convenient and durable.

Air purifier primary effect filter screen mesh, support mesh.



Material: PP, PET and Nylon.
Mesh Count: 30, 40, 50, 60 mesh.
Molding function: water filtration, air purifier filter mesh, pharmaceutical filter element etc.

Size:

- 1) Cut the support screen mesh into the width required by the customer, roll for delivery, customers according to their own needs in use to cut the length finally.
- 2) Cut the filter screen mesh into mesh pieces, customer could directly use.

Air Condition Filter Mesh: white fine nylon mesh, normal width size is 1.7m.



Package	1.30-70m/roll in PVC bag 2.2-8 rolls per carton 3.waterproof bags outside 4.package belt strengthen
Delivery time	15-25days
Application	The case, central air-conditioning, window air filter, lampblack machine, ventilating system, air conditioner etc. It's used for air filtration and dust prevention of air conditioning and other air vents.

Coffee filters, tea filters, yogurt filter mesh



100% Nylon material, plain weave.
customized size and free samples

Automotive fuel pump filters or filter mesh, automotive oil and gas separation filters or filter mesh



PA66 nylon material, plain weave
Used for automotive plumbing.
Customized size and free samples.

Paper Paint Strainers



Paper paint strainer with nylon mesh, suitable for water and solvent based paints.

Use paint strainers to filter your paint before putting the paint into the spray gun and applying, this will prevent foreign particles entering the spray gun and causing damage and imperfections in the paintwork strainers come flattened.


Features: Oil Proof and Waterproof. Prevents spray equipment clogging.

Application: All types of paints, varnishes, resins, and stains and even for automotive antifreeze, oil, or loose-leaf tea.

Nylon Mesh	Paper	Material	Type	Packing
125 micron	120g,	Paper+Nylon	and solvent based	1000 pieces
190 micron	140g,	Mesh	paints.	per carton and
customized	160g			customized

Vacuum cleaner filters:

customized size and free samples.



Washing machine filters or filter mesh:
PP material, plain weave. Customized size and free samples.

100% Nylon, 100% Polyester, PP, PA66 Filter Mesh

GEZI is one professional manufacturer & supplier of Nylon/ PA 66/ Polyester/ and PP filter mesh in China and with all available items and size to our customers.

We also produce the finished gas or liquid filters, such as coffee filters, tea filters, yogurt filter mesh, automotive fuel pump filters or filter mesh, automotive oil and gas separation filters or filter mesh, vacuum cleaner filters, washing machine filters or filter mesh, air conditioning filters or filter mesh, dishwasher filter, food industry filter, etc. We have formed a high - medium screen, multi - variety, multi - specification, multi - material product production series.



1. GEZI filter mesh main specification and advantages:

- 1) Mesh item: 10- 500mesh
- 2) Width: 100cm, 127cm, 140cm, 145cm, 160cm, 165cm, 180cm as normal or customized size.
- 3) High material quality.
- 4) Corrosion resistance, wear resistance.
- 5) Long use life, smooth surface, high strength, strong elastic and good resilience.

2. GEZI screen products are made of the corresponding material of raw material wire, through physical processing, the product itself does not have antibacterial, anti-UV, anti-aging, anti-static, fire and other functions, if you need these functions, please contact us directly, we'll do the post-processing of the mesh, to add the anti-bacterial, anti-UV, anti-aging, anti-static fire and so on.

The functions mentioned in the above function description are only tips for customers, referring to the screen after the corresponding deep processing of the finished product can have the corresponding function, does not refer to the screen itself (that is, the primary mesh) with these functions.

2. Some of the screen products of our company use food-grade raw materials, which can meet the needs of food grade and FDA products for food processing, and some industrial uses do not need food grade, please contact us for consultation if you need.

3. The products of our company can also be used in medicine, as well as part of medical treatment and testing, but they cannot be used directly. Customers need to make corresponding treatment according to their own needs, and then use, such as high-temperature disinfection and sterilization.

4. For food-grade products of GEZI, the food grade certificate of the screen itself is provided. For accessories purchased from outside, the corresponding food grade certificate may not be provided.





Nylon, Polyester, Stainless Steel Filter Bag And Disc

Nylon filter bag is made by high strength nylon woven mesh sew machine, it uses unique edge technology to prevent leaking needle, it will block the impurities which is bigger than mesh aperture on the surface of material; The smaller particles flow through the mesh into the downstream, so the nylon mono filament filter bag achieves surface filter, it can be easily cleaned of smooth surface, it also can be repeatedly.

Alkali resistance, heat resistance 150 ~ 170 degrees;

And it has good deformation resistance and abrasion resistance, it can be repeated washing.

All mesh material is FDA approved.

We also have polyester& stainless bag and disc with laser cutting machine.

Rosin Bag Specification In Details

Wholesale Press Bags:



Pattern A:	Details about GEZI Press Bag's Stitching Pattern: Outside stitching, which is the most hot sale pattern. Apply in all micron
Pattern B:	Inside stitching, which is the most hot sale pattern. Apply in all micron
Pattern C:	Fold the edge, and then inside out stitching, apply in 25 micron and 37 micron fine mesh, gurantee you that no material be squeezed out from the stitch space.
Pattern D:	No stitching, it is sealed by Micron-wave welded, strong enough to under the press of rosin tech process.

Stitching Way	Hot Bag's Size	Hot Micron Size	MOQ	Packing
1) Single Stitch	2*4- 2.5x 4.5,	25um, 37um,	1000 pieces per size	10-50 pieces per pvc bag. Then put in carton or customized package.
2) Double Needle Stitch	3*5- 3*6,	75um,90um, 100um,		
3) No Stitching, Sealed	4*7	120um, 160um, 220um		

Paint Filtration Bag Specification In Details



Single package size:	6x 6x 5 cm(Estimated for 5 gallon)
Single gross weight:	0.014kg(Estimated for 5 gallon)
Package Type:	1. 10pcs pack / 50pcs pack / customized pack 2. 1000pcs in a carton
* Product Name	Paint Strainer Bag
* Material	High quality Polyester
* Color	White
* Logo	Woven label or printed logo(MOQ= 200PCS)
* Mesh Opening	450 micron / customizable
* Usage	Paint filter/ Liquid filter/ Plant insect-resistant
* Size	1 Gallon / 2 Gallon / 5 Gallon / 35 Gallon/ 40 Gallon or Customized.
* Temperature	< 135-150°C
* Sealing type	Elastic band / can be customized
* Shape	Oval shape/ customizable
* Features	1. High quality Polyester, no fluorescer ; 2. Wide range of USES ; 3. The elastic band facilitates securing the bag



Water Filtration Bag Specification In Details

Water filter bag/Liquid filter bag :

1. Five lines of sewing is more fastness
2. Suitable for different material of rings
3. More cost saving
4. Well sealed can avoid missing
5. Assure high filtration accuracy
6. More pleasant to look at
7. Round, V Shape, Flat botton

Product name	filter bags,water filter bag,liquid filter bag,bag filters,filter socks			
Hot selling size	#1-#5 water filter bag #1: 180*430mm, #2: 180*810mm, #3: 108*230mm, #4: 108*380mm, #5: 150*510mm, customized 100um, 200um, 400um, 500um, customized.			
Ring style	plastic ring,stainless steel ring,drawstring or others. “U” shape, Round bottom style ,Square shape, Sector Shape or customized. Stitching, Sealed or customized.			
Raw material	Polyester mesh, nylon mesh, PP ,PE filter cloth, needled felt or stainless steel filter mesh Repeated washing use, durable, strong seam FDA, LFGB certificate.			
Material	Temperature(°C)	Resistance to Hydrolysis	Resistance to Acids	Resistance to Alkalis
Polypropylene(PP)	90-110 °C	+++++	+++++	+++++
Polyester(PE)	130-150 °C	+	+++	+
Nylon (NM)	150-170 °C	+++	+	+++
PTFE	250-300 °C	+++++	+++++	+++++

Wash Bag Specification In Details

Supply Ability:60000 Piece/Pieces per Week travel zipper polyester laundry wash bag /mesh laundry wash bag.

Packaging Details: Eco friendly Durable Hotel Home Travel Laundry Bag Foldable

1. some bags in a polybag
2. some polybags in a carton
3. customized



Polyester Laundry Bag	
Material	100% Polyester mesh or nylon mesh.
Material kind	45, 50, 60gsm.
Feature	Foldable, Commercial, Portable, Reusable, Flexible.
Bag Size	20x30cm, 30x40cm, 40x50cm, 50x60cm or customized.
Seal Type	Plastic colorful zipper or drawstring.
Logo	Customized
Application	Keep socks, bras, underwear, tights, etc separate from other clothes in the washing machine.



Flour Milling Sieve Mesh

Flour milling mesh

Flour screen is mainly used for flour, wheat flour and other filtration, generally used in flour screen machine, grain, oil and food factory, we mainly produce nylon and polyester flour screen mesh, PA grade nylon net, filtration precision from small to large, efficient filtration, aperture standard, GEZI factory direct production and sales.

1. PA- GG

It mainly used in coarse sieve and peeling. It's no doubt that nylon GG can replace the metal steel mesh with better elasticity, the abrasion resistance of nylon is better than polyester, and its self-desirability is also much better than steel mesh.

Features:

- Poly amide Grit gauze is used for the coarse sieves
- Good abrasive quality
- Long life time
- High efficiency

2. PET GG

At present, most of distinguish powder machine has switched to polyester material mesh, because it has much rough surface to slow down the flow speed of material. Polyester mesh is hardly influenced by material humidity change and climate conditions, and the sieve disc often keeps tight, so it has a good and lasting cleaning efficiency.


The rough fabric surface makes the product remain longer on the sieve. This leads to better separation.

3. PA-XX

- PA-XX is used for soft wheat, biscuit and rye flour
- Rough surface
- High percentage and open area
- Best sieving efficiency

4. PA- XXX

It's the highest strength mesh in the flour sieve mesh series. The aperture size is down due to the thick thread. It's used in production line of soft and hard wheat flour. It has longer life for this kind of reinforced mesh. PA-XXX fabric are used for harder types of wheat and Durum



Item	Flour Milling Sieve Mesh
Specification	6-17XXX, 10-74GG
Mesh Count	10-60 Mesh
Wire Diameter	100-550um
Thickness	60-1100um
Width Size	42'', 50'', 65'', 68'', 72'', 80'', 30-70m/roll or customized.
Material Type	Normal type, thick type, Food Grade PA6, PA66.



Coffee Filter Paper

Material: Wood Pulp, wood pulp
Application: Coffee filtration
Thickness: 0.61-0.9mm
Standard bag size: V01/ 02/ 64MM
Color: White and brown
Packing: 100pcs per pack or as customize quantity
Weight: 150gsm
OEM: Accept
Feature: Eco-Friendly

1. Filter papers can remove most oil and micro particles which cause coffee bitter, so it provides better taste.
2. It is disposable filters, save time for cleaning.
3. Biodegradable material, natural wood pump, chemical free.



V01
Material: wood pump
Size: 01
Capacity: 1-2 cups
Quantity: 100 pieces
Each filter is for single time use.



V02
Material: wood pump
Size: 02
Capacity: 1-4 cups
Quantity: 100 pieces
Each filter is for single time use.



Round Filters
Material: wood pump
Size: 64mm
Shape: round
Quantity: 200 pieces
Each filter is for single time use.




Fan shape 101 and 102 size



Anti-Dust and Smog Window Screens

— GEZI —



Dust – Proof Screen Series
100 mesh/ 135 mesh/ 200 mesh

Product name	Size/ M	Color	Material	
100 mesh Dust – proof screen	1.0*50	Black / White	Nanosynthetic fiber	50%/10%
	1.2*50			
	1.5*50			
135 mesh Dust – proof screen	1.0*50	Black / White	Nanosynthetic fiber	60%/20%
	1.2*50			
	1.5*50			
200 mesh Dust – proof screen	1.0*50	Black/ White	Nanosynthetic fiber	85%/40%
	1.2*50			
	1.5*50			
Application	1: Anti-haze. 2: Prevent dust and moths. 3: Prevent pollen. 4: Anti willow catkins. 5: prevent rain. 6: prevent vehicle exhaust and industrial emissions of particulate pollutants. 7: Protect against bacteria and viruses. 8: Guard against tiny mosquitoes.			



High Resolution, High Permeability
And No Ash Screen Mesh
(20 mesh/26mesh/48mesh)

Product name	Size/ M	Color	Application	Material
20mesh High - definition high - through screen	1.0*30	Black	Anti - knife cutting, Protection, anti - micro mosquito, high definition and high through, easy to clean, no ash	Polymer high strength synthetic fiber
	1.2*30			
	1.5*30			
26 mesh High - definition high - through screen	1.0*30	Black	Anti - knife cutting, Protection, anti - micro mosquito, high definition and high through, easy to clean, no ash	Polymer high strength synthetic fiber)
	1.2*30			
	1.5*30			
48mesh High - definition high - through screen	1.0*50	Black	Anti - knife cutting, Protection, anti - micro mosquito, high definition and high through, easy to clean, no ash	Polymer high strength synthetic fiber
	1.2*50			
	1.5*50			



Pollen Proof Screens Series

Product name	Size/ M	Color	Application	Material
Pollen proof screens	1.0*50	Black/ Grey	Prevent pollen, poplar catkins, dust and tiny mosquitoes. Prevent allergies	Polyester fiber
	1.2*50			
	1.5*50			



Composite series screen

Product name	Size/ M	Color	Material
Double layer composite screen	1.5*240	Black and white composite	Fiberglass, synthetic fibre
Three layer composite net	1.5*240	Black and white composite	Fiberglass, Electrostatic electret melt-blast non-woven fabric synthetic fibre
Application	1: prevent haze. 2: prevent dust and dust pan. 3: prevent pollen. 4: prevent catkins. 5: prevent rain. 6: prevent automobile exhaust and industrial emissions of particulate pollutants. 7: prevent bacteria and viruses. 8: prevent tiny mosquitoes.		







Product Name	Fish Cage Netting
Material	Plastic, Nylon, PP, HDPE, Polyester
Knot type	Knotted /Knotless
Weaving	Twisted/Raschel/braided
Twine type	Multifilament
Mesh shape	diamond, square or hexagonal mesh
Mesh size	10mm-1000mm
Net cage type	Square or circular
Color	black, white, blue, orange, green or according to your request.
Treatment	UV, Resin, Coating, Painting
Length	10 m – 2000 m
Depth	10 md – 1000 md
Thickness	0.32 mm – 5 mm
Application	Trout, Salmon, Almon, Sturgeon, Tilapia, Catfish, Grouper, Cod, Sea bream, Etc.
Handrail Pipe and Upright Dia(mm)	Handrail Pipe Dia: 90、110、 125 Handrail Upright Dia: 110、 125

-GEZI-

HEBEI YVYI IMP.& EXP. CO., LTD

SHIJIAZHUANG GEZI SCREEN MANUFACTURING CO., LTD

Add: Room A- 519, Hongsheng Business Building, Yuhua District,
Shijiazhuang, Hebei, China.

Web: www.screenmeshchina.com

Tel: +86 311 86851268/ 86851289

Cel: +86 15931178799

Email: sales@geziexport.com kris@geziexport.com

Serious, Fast, Teamwork.